

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

2	<u> </u>			
	Applicant's or agent's file reference 02045PC/JH	FOR FURTHER ACTION	see Notification of 7 (Form PCT/ISA/22	Fransmittal of International Search Report 0) as well as, where applicable, item 5 below.
×	International application No.	International filing date	(day month year)	(Earliest) Priority Date (day/month/year)
V	PCT/SE 03/00676	6 May 2003		7 May 2002
St	Applicant			2002
8	DeLaval Holding AB et al			
	This international search report has be applicant according to Article 18. A co	en prepared by this Interpretated	rnational Searching to the International	ng Authority and is transmitted to the
	This international search report consists	s of a total of	sheets.	·
l	It is also accompanied by a		document cited in	this report
)		1		ans report.
	1. Basis of the report			
	0 0 === 11 11 11 11 11 11 11 11 11 11 11 11	too, diffess outer wise file	ncated under tms	
	,	(-)/-		of the international application furnished
	 b. With regard to any nucleotide and international search was carried or 	d/or amino acid sequence out on the basis of the s	e disclosed in the i equence listing:	nternational application, the
	contained in the international	al application in written	form.	
	filed together with the intern	ational application in c	omputer readable	form.
	furnished subsequently to the			
furnished subsequently to this Authority in computer readable form. the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished. the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.				does not go beyond the disclosure in
				n is identical to the written sequence
	2. Certain claims were found un	nsearchable (See Box I).	·. ·	
	3. Unity of invention is lacking			
	4. With regard to the title,	,		1
)	the text is approved as submi	itted by the applicant		
	the text has been established		d as follows.	
	. 🗖	of the real of the	a as follows:	·
	·			
	5. With regard to the abstract,			
	the text is approved as submi	tted by the applicant.		
		according to Rule 38 2	(b), by this Authorailing of this interr	rity as it appears in Box III. The national search report, submit
	6. The figure of the drawings to be publis	shed with the abstract is	Figure No. /	İ
	as suggested by the applicant.			None of the figures.
	because the applicant failed to	suggest a figure.	₹	or all lightes.
	because this figure better char	acterizes the invention.		·
For	rm PCT/ISA/210 (first sheet) (July 1998)			

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A01J 5/007
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A01J

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL

	C. DOCUMENTS CONSIDERED TO BE RELEVANT
	C. DUCUMENTS CONSTITERED TO REPETEVANT
-	TO BE RELEVANT
- 1	
- 1	

	Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	X	WO 0027183 A1 (CHEMOMETEC A/S), 18 May 2000 (18.05.00), page 21, line 23 - line 26; page 22, line 1 - line 3; page 22, line 14 - line 24, claim 1	1,3,5-9,11, 13-15
		. ——	
	A	US 6031367 A (S.L. MANGAN), 29 February 2000 (29.02.00), abstract	1,9
	A .	EP 0880888 A2 (MAASLAND N.V.), 2 December 1998 (02.12.98), claims 25-27	1,6,7,9
	A	SE 0000179 A (ALFA LAVAL AGRI AB), 23 October 2002 (23.10.02), abstract	3,11
L			

 			
Further documents are listed in the continuation of Bo	x C. X See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art		
Date of the actual completion of the international search	"&" document member of the same patent family Date of mailing of the international search report		
25 July 2003	2 8 -07- 2003		
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM	Authorized officer		
Facsimile No. + 46 8 666 02 86	Magnus Thorén / SN Telephone No. + 46 8 782 25 00		

Form PCT/ISA/210 (second sheet) (July 1998)

hernational application No.
PCT/SE 03/00676

29/06/03

	ocument arch report		Publication date		Patent family member(s)	Publication date
	0027183	A1	18/05/00	AT AU CA DE EP SE JP	228294 T 1032100 A 2349549 A 69904228 D 1126757 A,B 1126757 T3 2002529057 T	15/12/02 29/05/00 18/05/00 00/00/00 29/08/01 10/09/02
JS 	6031367	A	29/02/00	AT AU AU DE DK EP NZ WO	225038 T 726618 B 2507599 A 69903099 D,T 975960 T 0975960 A,B 338045 A 9941605 A,B	15/10/02 16/11/00 30/08/99 22/05/03 03/02/03 02/02/00 29/06/01 19/08/99
P 	0880888	A2	02/12/98	SE DE DK EP NL	0880888 T3 69807574 D 880888 T 1208742 A 1006171 C	00/00/00 06/01/03 29/05/02 00/00/00
Ε (0000179	Α	23/10/02	NONE		

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

plicant's or agent's file reference FOR FURTHER ACTION See Form PCT/IPEA/416			
02045PC/JH/AW			
International application No.	International filing date (day)	/month/year)	Priority date (day/month/year)
PCT/SE2003/000676	06.05.2003		07.05.2002
International Patent Classification (IPC)	or national classification and IP	PC .	
A01J 5/007			
Applicant			
DeLaval Holding AB et	: al		
This report is the international property under Article 35 and to	ransmitted to the applicant acc	ording to Article 2	
2. This REPORT consists of a total	of 3 sheets, inc	cluding this cover	sheet.
3. This report is also accompanied l	by ANNEXES, comprising:		
a. (sent to the applican	at and to the International Bure	eau) a total of 4	sheets, as follows:
N 1 -1 -C4b-	description aloims and/or dra	wings which have	been amended and are the basis of this report
and/or sheet	s containing rectifications auth ive Instructions).	orized by this Aut	hority (see Rule 70.16 and Section 607 of the
-la cata authiral	amarada earlier sheets hut y	which this Authori	ty considers contain an amendment that goes
beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. 1 and the			
Supplemental Box.			
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)) , containing a sequence listing and/or tables related thereto, in computer			umber of electronic carrier(s))
readable form only	, containing a	a sequence listing to	o Sequence Listing (see Section 802 of the
Administrative Inst	Administrative Instructions).		
4. This report contains indications	relating to the following items	:	
	of the report		
Box No. II Priori			
Box No. III Non-	establishment of opinion with	regard to novelty,	inventive step and industrial applicability
Box No. IV Lack	of unity of invention		
Box No. V Rease	oned statement under Article 3 cability; citations and explanat	5(2) with regard to tions supporting su	novelty, inventive step or industrial ch statement
	in documents cited		
Box No. VII Certa	Box No. VII Certain defects in the international application		
Box No. VIII Certs	nin observations on the internal	tional application	
Date of submission of the demand	1	Date of completion	of this report
03.12.2003		05.08.2004	
Name and mailing address of the IPEA	VOE .	Authorized officer	
Patent- och registreringsverket Box 5055		de / Ma	
S-102 42 STOCKHOLM	I 1	Magnus Thorén / MRO Telephone No. +46 8 782 25 00	
Facsimile No. +46 8 667 72 88		retepnone No. +4	0 0 702 23 00



INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2003/000676

Box	No. I	Basis of the report	
1.	otherwi	regard to the language, this report is based on the international application in the large vise indicated under this item.	
		This report is based on a translation from the original language into the following lar which is the language of a translation furnished for the purposes of:	guage ,
		international search (under Rules 12.3 and 23.1(b))	}
		publication of the international application (under Rule 12.4)	
		international preliminary examination (under Rules 55.2 and/or 55.3)	
2.	furnish	regard to the elements of the international application, this report is based on the hed to the receiving Office in response to an invitation under Article 14 are referred re not annexed to this report):	(replacement sheets which have been d to in this report as "originally filed"
		the international application as originally filed/furnished	
	\boxtimes	the description:	
		pages <u>1-10</u>	as originally filed/furnished
ı		pages 1-10 pages* received by this Authority on	
		pages* received by this Authority on	
	\boxtimes	the claims:	as originally filed/furnished
		pages	as originally interstuminated are with any statement) under Article 19
		pages	01.06.2004
١.		pages 2 2 11 die Authority on	
	<u> </u>	pages	
	\boxtimes	the drawings:	as originally filed/furnished
		pages 1-3 pages* received by this Authority on	
		pages* received by this Authority on received by this Authority on	
		a sequence listing and/or any related table(s) – see Supplemental Box Relating to	
3.		The amendments have resulted in the cancellation of:	
		the description, pages	
Ì		the claims, Nos.	
		the drawings, sheets/figs	
1		the sequence listing (specify):	
1		any table(s) related to the sequence listing (specify):	
4	. 🗆	This report has been established as if (some of) the amendments annexed to a made, since they have been considered to go beyond the disclosure as filed, as 70.2(c)).	indicated in the suppression and
1		the description, pages	
1		the claims, Nos.	
		the drawings, sheets/figs	
		the sequence listing (specify):	
		any table(s) related to the sequence listing (specify):	
,	• If it	tem 4 applies, some or all of those sheets may be marked "superseded."	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/SE2003/000676

Box No. V	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims Claims	1-13	YES NO
Inventive step (IS)	Claims Claims	1-13	YES NO
Industrial applicability (IA)	Claims Claims	1-13	YES NO

2. Citations and explanations (Rule 70.7)

The present invention relates to a method for separating a first quantity of milk drawn from a milking animal in an automatic milking machine from a second quantity of milk obtained from a milking animal, and it also relates to an automatic milking machine performing this method. By automatically collecting and analysing a small amount of the first quantity of milk using an on-line cell counter, a valve can be operated so as to control whether this first quantity is to be saved in a first container, a second container or be directed to a drain.

Amended claims have been issued.

The invention according to the amended claims is characterised in that an indicator of mastitis is measured and that the small amount of milk is analysed and the operation of the valve is performed only if the first indicator of mastitis is above a second threshold.

The cited WO 0027183 reveals the use of an on-line somatic cell counter, which can be used to control the handling of the milk, see page 21, lines 23-26. This handling may include directing the milk to one or several temporary milk storage means, see page 22, lines 14-24.

This document, however, does not reveal using a first indicator of mastitis.

Thus, the invention according to the amended claims is novel. This invention is not considered to be obvious to a person skilled in the art.

The invention is industrially applicable.

10

15

20

CLAIMS

- 1. A method for separating a first quantity of milk drawn from a milking animal in an automatic milking machine from a second quantity of milk drawn from a milking animal in said milking machine comprising the steps of: - milking an animal using said automatic milking machine, - measuring a first indicator of mastitis, - automatically collecting a small representative amount of said first quantity of milk during said milking, - analysing at least a part of said small representative amount of milk using an on-line cell counter for counting the number of cells in said first quantity of milk, - operating a valve depending on the counted number of cells so that if the counted number of cells are below a first threshold said first quantity of milk is collected in a first container and if said counted number of cells are equal to or above said first threshold said first quantity of milk are directed to a drain or a second container, and wherein - said analysing of at least a part of said representative amount of milk, and said operation of said
 - representative amount of milk, and said operation of said valve, are performed only if said first indicator of mastitis is above a second threshold.
- 2. The method according to claim 1, wherein the step of operating a valve further comprises the step of collecting said first quantity of milk in a third container if the counted number of cells are above a third threshold but below said first threshold and collect said first quantity of milk in said first container if said counted number of cells are below said third threshold, thereby collecting milk of a first superior quality in said first container, milk of a second quality in said third container and milk of a

third quality is directed to said drain or collected in said second container.

3. The method according to claim 1 or 2, wherein said first indicator of mastitis is one indicator, or a selection of multiple indicators, selected from a group of indicators comprising: the conductivity of said first quantity of milk, the NAgase value of said first quantity of milk, the Urea value of said first quantity of milk, the temperature of said first quantity of milk, the milk flow from said milking animal or the milk quantity from a teat of said milking animal.

5

10

20

25

- 4. The method according to any of the claims above, wherein said small representative amount of milk is collected from a milk measuring device.
- 5. The method according to any of the claims above, wherein said first quantity of milk drawn from one milking animal is collected in an end unit for the duration of performing the somatic cell count.
 - 6. The method according to any of the claims above, wherein said first quantity of milk is collected from a first teat of a milking animal and said second quantity of milk is collected from a second teat of said milking animal.
 - 7. The method according to any of the claims above, wherein said first quantity of milk is collected from a first milking animal and said second quantity of milk is collected from a second milking animal.
 - 8. An automatic milking machine comprising means for separating a first quantity of milk drawn from a milking animal in said automatic milking machine from a second quantity of milk drawn from a milking animal in said milking machine characterised in,

10

15

25

- a collecting device for collecting a small representative amount of said first quantity of milk during said milking,
- a measurement device for measuring a first indicator of mastitis,
- an on-line cell counter for analysing at least a part of said small representative amount of milk for counting the number of cells in said first quantity of milk,
- at least a first valve operable to direct said first quantity of milk depending on the counted number of cells, so that if the counted number of cells are below a first threshold said first quantity of milk is collected in a first container and if said counted number of cells are equal to or above said threshold said first quantity of milk are directed to a drain or a second container, and
- wherein said on-line cell counter is arranged to analyse said first quantity of milk only if said first indicator of mastitis is above a second threshold.
- 9. The automatic milking machine according to claim 8, 20 wherein said valve is further operable to direct said first quantity of milk so as to:
 - collect said first quantity of milk in a third container if the counted number of cells are above a third threshold but below said first threshold and - collect said first quantity of milk in said first container if said counted number of cells are below said third threshold, thereby collecting milk of a first superior quality in said first container, milk of a second quality in said third container and milk of a third quality is directed to said drain or collected in said second container.

10. The automatic milking machine according to claim 8 or 9, wherein said measurement device for measuring a first indicator of mastitis is arranged to measure one indicator, or a selection of multiple indicators, selected from a group of indicators comprising: the conductivity of said first quantity of milk, the NAgase value of said first quantity of milk, the Urea value of said first quantity of milk, the temperature of said first quantity of milk, the temperature of said first quantity of milk, the milk flow from said milking animal or the milk quantity from a teat of said milking animal.

5

- 11. The automatic milking machine according to claim 8 10, wherein said small representative amount of milk is collected from a milk measuring device.
- 12. The automatic milking machine according to claim 8 11, wherein said first quantity of milk is collected from
 a first teat of a milking animal and said second quantity
 of milk is collected from a second teat of said milking
 animal.
- 20 13. The automatic milking machine according to claim 8 -12, wherein said first quantity of milk is collected from a first milking animal and said second quantity of milk is collected from a second milking animal.

DT01 Rec'd PCT/PTC 1 8 OCT 2004

October 18, 2004

Docket No. 19200-000041/US

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicants:

Epke BOSMA

Int'l Application No.:

PCT/SE03/00676

Application No.:

NEW APPLICATION

Filed:

October 18, 2004

For:

AUTOMATIC MILK SEPARATION

LETTER

U.S. Patent and Trademark Office 220 20th Street S. Customer Window - Mail Stop <u>PCT</u> Crystal Plaza Two, Lobby, Room 1B03 Arlington, VA 22202

Sir:

Amended sheet is attached hereto (which correspond to Article 34 amendments or to claims attached to the International Preliminary Examination Report), as required by 35 U.S.C. § 371(c)(3). The Article 34 amended sheet is incorporated in the included substitute specification and Preliminary Amendment.

Respectfully submitted,

HARNESS, DICKEY & PIERCE, P.L.C.

By:

nn A. Castellano, Reg. No. 35,094

P.O. Box 8910

Reston, Virginia 20195

(703) 668-8000

JAC/smk

PCT/SE2003/000676 01-06-2004 10 / 511582 DT01 Rec'd PCT/PTC 1 8 OCT 200

CLAIMS

- 1. A method for separating a first quantity of milk drawn from a milking animal in an automatic milking machine from a second quantity of milk drawn from a milking animal in said milking machine comprising the steps of:
 - milking an animal using said automatic milking machine,
 - measuring a first indicator of mastitis,

5

15

20

্রি) 25

- automatically collecting a small representative amount of said first quantity of milk during said milking,
- analysing at least a part of said small representative amount of milk using an on-line cell counter for counting the number of cells in said first quantity of milk,
- operating a valve depending on the counted number of cells so that if the counted number of cells are below a first threshold said first quantity of milk is collected in a first container and if said counted number of cells are equal to or above said first threshold said first quantity of milk are directed to a drain or a second container, and wherein
- said analysing of at least a part of said representative amount of milk, and said operation of said valve, are performed only if said first indicator of mastitis is above a second threshold.
- 2. The method according to claim 1, wherein the step of operating a valve further comprises the step of collecting said first quantity of milk in a third container if the counted number of cells are above a third threshold but below said first threshold and collect said first quantity of milk in said first container if said counted number of cells are below said third threshold, thereby collecting milk of a first superior quality in said first container, milk of a second quality in said third container and milk of a



third quality is directed to said drain or collected in said second container.

3. The method according to claim 1 or 2, wherein said first indicator of mastitis is one indicator, or a selection of multiple indicators, selected from a group of indicators comprising: the conductivity of said first quantity of milk, the NAgase value of said first quantity of milk, the Urea value of said first quantity of milk, the temperature of said first quantity of milk, the milk flow from said milking animal or the milk quantity from a teat of said milking animal.

5

نها. 10

.20

25

30

- 4. The method according to any of the claims above, wherein said small representative amount of milk is collected from a milk measuring device.
- 5. The method according to any of the claims above, wherein said first quantity of milk drawn from one milking animal is collected in an end unit for the duration of performing the somatic cell count.
 - 6. The method according to any of the claims above, wherein said first quantity of milk is collected from a first teat of a milking animal and said second quantity of milk is collected from a second teat of said milking animal.
 - 7. The method according to any of the claims above, wherein said first quantity of milk is collected from a first milking animal and said second quantity of milk is collected from a second milking animal.
 - 8. An automatic milking machine comprising means for separating a first quantity of milk drawn from a milking animal in said automatic milking machine from a second quantity of milk drawn from a milking animal in said milking machine characterised in,

AMENDED SHEET

- a collecting device for collecting a small representative amount of said first quantity of milk during said milking,

5

15

20

- a measurement device for measuring a first indicator of mastitis,
- an on-line cell counter for analysing at least a part of said small representative amount of milk for counting the number of cells in said first quantity of milk, at least a first valve operable to direct said first quantity of milk depending on the counted number of cells, so that if the counted number of cells are below a first threshold said first quantity of milk is collected
- first threshold said first quantity of milk is collected in a first container and if said counted number of cells are equal to or above said threshold said first quantity of milk are directed to a drain or a second container, and
- wherein said on-line cell counter is arranged to analyse said first quantity of milk only if said first indicator of mastitis is above a second threshold.
- 9. The automatic milking machine according to claim 8, wherein said valve is further operable to direct said first quantity of milk so as to:
 - collect said first quantity of milk in a third container if the counted number of cells are above a third threshold but below said first threshold and collect said first quantity of milk in said first container if said counted number of cells are below said third threshold, thereby collecting milk of a first superior quality in said first container, milk of a second quality in said third container and milk of a third quality is directed to said drain or collected in said second container.



INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP03/03041

A.		SIFICATION OF SUBJECT MATTER C1 ⁷ B29C45/26, B29C45/00			
Acc	ording to	o International Patent Classification (IPC) or to both nat	tional classification and IPC		
В.	FIELD	S SEARCHED			
	Int.	ocumentation searched (classification system followed to C1 B29C45/00-45/84, 33/00-33/	76		
	Jitsı Kokai	ion searched other than minimum documentation to the 1926–1996 i. Jitsuyo Shinan Koho 1971–2003	Toroku Jitsuyo Shinan Kobo Jitsuyo Shinan Toroku Kobo	1994–2003 1996–2003	
Elec	tronic d	ata base consulted during the international search (name	e of data base and, where practicable, sear	rch terms used)	
c.	DOCU	MENTS CONSIDERED TO BE RELEVANT			
Cate	gory*	Citation of document, with indication, where ap		Relevant to claim No.	
	X Y A X Y	JP 04-327916 A (Sekisui Chem 17 November, 1992 (17.11.92), Par. Nos. [0001], [0002], [00 Fig. 7 & JP 3006906 B2 EP 1125764 A1 (NISSHA PRINTI 22 August, 2001 (22.08.01), Par. Nos. [0012], [0100], [01 & CN 1328508 A & KR & JP 2000-109682 A & JP & WO 00/20228 A1	05], [0017], [0029]; NG CO., LTD.), 01] 1075500 A	1,4,11,14 7,8,10 2,3,5,6,9, 12,13,15,16 1,4,11,14 7,8,10 2,3,5,6,9, 12,13,15,16	
×	Furth	er documents are listed in the continuation of Box C.	See patent family annex.		
* "A" "E" "L" "O" "P"	considered to be of particular relevance earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention document of particular relevance; the claimed invention cannot considered novel or cannot be considered to involve an invent step when the document is taken alone document of particular relevance; the claimed invention cannot considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family		
Date	e of the	actual completion of the international search fune, 2003 (13.06.03)	Date of mailing of the international sear 01 July, 2003 (01.0		
Nan	ne and n	nailing address of the ISA/	Authorized officer		
Facsimile No.			Telephone No.		

- 5
- 10. The automatic milking machine according to claim 8 or 9, wherein said measurement device for measuring a first indicator of mastitis is arranged to measure one indicator, or a selection of multiple indicators, selected from a group of indicators comprising: the conductivity of said first quantity of milk, the NAgase value of said first quantity of milk, the Urea value of said first quantity of milk, the temperature of said first quantity of milk, the milk flow from said milking animal or the milk quantity from a teat of said milking animal.
- 11. The automatic milking machine according to claim 8 10, wherein said small representative amount of milk is collected from a milk measuring device.
- 12. The automatic milking machine according to claim 8 11, wherein said first quantity of milk is collected from a first teat of a milking animal and said second quantity of milk is collected from a second teat of said milking animal.
- 20 13. The automatic milking machine according to claim 8 12, wherein said first quantity of milk is collected from a first milking animal and said second quantity of milk is collected from a second milking animal.

25

30

11

CLAIMS

- 1. A method for separating a first quantity of milk drawn from a milking animal in an automatic milking machine from a second quantity of milk drawn from a milking 5 animal in said milking machine comprising the steps of: - milking an animal using said automatic milking machine, - automatically collecting a small representative amount of said first quantity of milk during said milking, - analysing at least a part of said small representative 10 amount of milk using an on-line cell counter for counting the number of cells in said first quantity of milk, - operating a valve depending on the counted number of cells so that if the counted number of cells are below a first threshold said first quantity of milk is collected 15 in a first container and if said counted number of cells are equal to or above said first threshold said first quantity of milk are directed to a drain or a second container.
 - 2. The method according to claim 1, further comprising the additional steps of:
 - measuring a first indicator of mastitis for said first quantity of milk,
 - performing said analysing of at least a part of said representative amount of milk only if said first indicator for said first quantity of milk is above a second threshold.
 - 3. The method according to claim 1 or 2, wherein the step of operating a valve further comprises the step of collecting said first quantity of milk in a third container if the counted number of cells are above a third threshold but below said first threshold and collect said first quantity of milk in said first

10


15

20

25

30





container if said counted number of cells are below said third threshold, thereby collecting milk of a first superior quality in said first container, milk of a second quality in said third container and milk of a third quality is directed to said drain or collected in said second container.

- 4. The method according to claim 2 or 3, wherein said first indicator is one indicator, or a selection of multiple indicators, selected from a group of indicators comprising: the conductivity of said first quantity of milk, the NAgase value of said first quantity of milk, the Urea value of said first quantity of milk, the temperature of said first quantity of milk, the milk flow from said milking animal or the milk quantity from a teat of said milking animal.
- 5. The method according to any of the claims above, wherein said small representative amount of milk is collected from a milk measuring device.
- 6. The method according to any of the claims above, wherein said first quantity of milk drawn from one milking animal is collected in an end unit for the duration of performing the somatic cell count.
 - 7. The method according to any of the claims above, wherein said first quantity of milk is collected from a first teat of a milking animal and said second quantity of milk is collected from a second teat of said milking animal.
 - 8. The method according to any of the claims above, wherein said first quantity of milk is collected from a first milking animal and said second quantity of milk is collected from a second milking animal.

20

30



9. An automatic milking machine comprising means for separating a first quantity of milk drawn from a milking animal in said automatic milking machine from a second quantity of milk drawn from a milking animal in said milking machine characterised in,

- a collecting device for collecting a small representative amount of said first quantity of milk during said milking,
- an on-line cell counter for analysing at least a part 10 of said small representative amount of milk for counting the number of cells in said first quantity of milk, - at least a first valve operable to direct said first quantity of milk depending on the counted number of cells, so that if the counted number of cells are below a 15 first threshold said first quantity of milk is collected in a first container and if said counted number of cells are equal to or above said threshold said first quantity of milk are directed to a drain or a second container.
 - 10. The automatic milking machine according to claim 9, further comprising a measurment device for measuring a first indicator of mastitis for said first quantity of milk, wherein said on-line cell counter analyses said first quantity of milk if said first indicator for said first quantity of milk is above a second threshold.
- 25 11. The automatic milking machine according to claim 9 or 10, wherein said valve is further operable to direct said first quantity of milk so as to:
 - collect said first quantity of milk in a third container if the counted number of cells are above a third threshold but below said first threshold and - collect said first quantity of milk in said first container if said counted number of cells are below said



10

15

third threshold, thereby collecting milk of a first superior quality in said first container, milk of a second quality in said third container and milk of a third quality is directed to said drain or collected in said second container.

- 12. The automatic milking machine according to claim 10, wherein said measurement device for measuring a first indicator of mastitis is arranged to measure one indicator, or a selection of multiple indicators, selected from a group of indicators comprising: the conductivity of said first quantity of milk, the NAgase value of said first quantity of milk, the Urea value of said first quantity of milk, the temperature of said first quantity of milk, the temperature of said first quantity of milk, the milk flow from said milking animal or the milk quantity from a teat of said milking animal.
 - 13. The automatic milking machine according to claim 9 12, wherein said small representative amount of milk is collected from a milk measuring device.
- 20 14. The automatic milking machine according to claim 9 -13, wherein said first quantity of milk is collected from a first teat of a milking animal and said second quantity of milk is collected from a second teat of said milking animal.
- 15. The automatic milking machine according to claim 9 13, wherein said first quantity of milk is collected from a first milking animal and said second quantity of milk is collected from a second milking animal.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:		
☐ BLACK BORDERS		
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
☐ FADED TEXT OR DRAWING		
☑ BLURRED OR ILLEGIBLE TEXT OR DRAWING		
SKEWED/SLANTED IMAGES		
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
☐ GRAY SCALE DOCUMENTS		
☑ LINES OR MARKS ON ORIGINAL DOCUMENT		
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.